



Spinosad Fruit Fly Bait
United States Department of Agriculture

**This is an Unregistered Product, Only for Use Under a FIFRA Section 18
Quarantine Emergency Exemption.
For Distribution and Use Only Within the United States and Territories**

*For use in urban or rural residential areas only by or under the direct supervision of USDA APHIS Plant Protection and Quarantine (PPQ) personnel and cooperators involved in the control of exotic (non-established, quarantined) fruit fly members of the family Tephritidae, including, but not restricted to, the Mediterranean Fruit Fly (*Ceratitis capitata*), Oriental Fruit Fly (*Bactrocera dorsalis*), Mexican Fruit Fly (*Anastrepha ludens*), Caribbean Fruit Fly (*Anastrepha suspensa*), Melon Fly (*Zeugodacus cucurbitae*), Olive Fruit Fly (*Bactrocera oleae*), Peach Fruit Fly (*Bactrocera zonata*), Guava Fruit Fly (*Bactrocera correcta*), Pumpkin Fruit Fly (*Zeugodacus tau*) and Queensland Fruit Fly (*Bactrocera tryoni*). This product may be used in AL, AZ, CA, FL, GA, HI, LA, MS, NM, NY, SC, TX as well as in Puerto Rico (PR), U.S. Virgin Islands (USVI), Guam (GU) and the Commonwealth of the Northern Mariana Islands (CNMI).*

INGREDIENTS:	% BY WT
ACTIVE INGREDIENT: Spinosad*	1.8%
OTHER INGREDIENTS	98.2%
TOTAL	100.0%

*Each bait station is coated with 0.88 oz (25 g) of wax mixture containing 0.016 oz (45 g) of spinosad)

Net Contents: 1.40 ounces (40 grams) (weight of fully assembled bait station)

Keep Out of Reach of Children
CAUTION

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION: Causes Moderate Eye Irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

See page 2 for First Aid

Personal Protective Equipment (PPE)

All handlers must wear:

- Long-sleeved shirt and long pants
- Shoes and socks
- Chemical-resistant gloves

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center (1-800-222-1222) or doctor or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

For information on this pesticide product (including general health concerns or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378, Monday through Friday, 8:00 AM to 12:00 PM Pacific Standard Time. (NPIC Website: www.npic.orst.edu). In the event of a medical emergency, call your poison control center at 1-800-222-1222

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when cleaning equipment or when disposing of equipment washwaters. This product is highly toxic to bees and other pollinating insects exposed to direct treatment.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product must be used strictly in accordance with this label's precautionary statements and use directions, as well as with all applicable State and Federal laws and regulations.

ATTENTION: Read the entire label included with each box of bait station components before assembling and hanging bait stations. Carefully follow all precautionary statements and use directions.

USE RESTRICTIONS:


- Bait stations are for outdoor non-crop use only.
- **DO NOT** use in enclosed areas.
- **DO NOT** install bait stations at a height of less than 2 meters (6.5 ft) from the ground.

APPLICATION DIRECTIONS - Bait station assembly and step by step use procedures.

Use gloves when handling bait stations and lures.

It is recommended that bait stations be assembled prior to taking them to the use site.


1. Open the large box that contains the bait station components, and check that there are equal numbers of flat 'hats,' bait station boxes, and strings (approximately 250 each).



2. From the separate box of lures, take one lure packet as appropriate for the fruit fly species being targeted. Open packet and insert lure into cotton teabag.
3. Tie bait station string onto teabag lure holder making sure lure is pointing up.
4. Twist bait station hat into conical shape and staple outer edge with 3 staples, with top/point of hat pointing up.
5. Run bait station string, now attached to the lure, through hole in center of bait station hat and pull lure up so that it is inside the bait station.
6. Attach bait station label with the string provided.

Bait Station Placement and Rate

1. Place 30-40 assembled bait stations in a heavy-duty garbage bag for movement to the use site.



2. Tie individual bait stations a minimum of 2-3 meters (6.5 – 10 ft) above the ground and about 1/3 of the way into the tree canopy from the side. To minimize accessibility by small children to the bait station, do not install bait stations at a height less than 2 meters (6.5 ft) above the ground.
3. In dooryards with fewer than eight trees, place one bait station per every three trees if trees are planted on less than two acres; one per every two trees if trees are dispersed over more than two acres. For properties with eight or more trees, place one bait station per every four trees.

Maximum density of bait stations is 100 per acre.

Bait Station Replacement

Use gloves when handling bait stations and lures.

Bait stations only need to be serviced once every two months.

1. Two months after initial installation, place a 2nd bait station (Bait Station B) with appropriate lure on the opposite side of the tree or on a nearby tree and add a new lure to the original bait station (Bait Station A).
2. Two months later, remove Bait Station A and replace it with a new bait station and lure. Add a 2nd lure to Bait Station B.
3. Place old used bait stations in plastic heavy duty garbage bags for disposal. At end of day, tie garbage bag with old bait stations and throw into dumpster or another proper disposal container/site.
4. Continue two-month rotation of bait stations and lures as long as necessary during the season, or up to one year.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material with absorbent materials and dispose as waste.

Pesticide Disposal: Do not reuse the bait station body and conical hat and do not refill them or reapply additional impregnated wax matrix. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not use or refill the cardboard box. Do not reuse other packaging materials. When empty, dispose of the cardboard box and packing materials in a sanitary landfill or by procedures approved by state and local authorities.

UNITED STATES DEPARTMENT OF AGRICULTURE

Plant Protection and Quarantine

4700 River Rd, Riverdale Park, Maryland 20737

EPA Est. No. 91266-GTM-1

Net Contents: 1.40 ounces (40 grams) (weight of fully assembled bait station)

Rev. 12-2023